



CorePro LEDbulb

CorePro LEDbulb 9-60W 865 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

PHILIPS

Product data

• General Information

Cap-Base	E27
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	9-60W

• Light Technical

Color Code	865 [CCT of 6500K]
Luminous Flux (Nom)	806 lm
Luminous Flux (Rated) (Nom)	806 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	89.56 lm/W
Color Consistency	6 steps
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

• Operating and Electrical

Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	9 W
Lamp Current (Nom)	80 mA
Wattage Equivalent	60 W
Starting Time (Max)	0.5 s
Warm Up Time To 60% Light (Nom)	instant full light
Power Factor (Nom)	0.5

Voltage (Nom)	220-240 V
---------------	-----------

• Temperature

T-Case Maximum (Nom)	85 °C
----------------------	-------

• Controls and Dimming

Dimmable	No
----------	----

• Mechanical and Housing

Bulb Finish	Frosted
-------------	---------


• Approval and Application

Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	9 kWh

• Product Data

Full product code	871869649760900
Order product name	CorePro LEDbulb 9-60W 865 E27
EAN/UPC - Product	8718696497609
Order code	929001163702
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001163702
Net Weight (Piece)	0.076 kg

Dimensional drawing



LED 9-60W E27 865



Product	D	C
CorePro LEDbulb 9-60W 865 E27	61 mm	110 mm

Dimensional drawing



Photometric data

General Uniform Lighting





© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, March 4
data subject to change